ΛLUNΛ BIFOLD

Super slim aluminium bifolding doors from MALUNET





The ALUNA Bifold

The ALUNA bifold system offers a versatile, slimline system for single doors, French doors and bifolding doors and windows.

As an enhancement on the known and loved BF73 bifold system, the super slim profile sections of the ALUNA bifold system minimise the visible framework and maximise the glass area, with market-leading sightlines of just 107mm from frame to sash.

Achieving DER energy rating of B and a new PAS24:2022 certification, the bifolds are designed to the most up to date standards to be the best the market has to offer.

The ALUNA Bifold is part of a new collection of products brought to you by Alunet Systems, bringing their expertise and knowledge into a range of products, unbeaten on quality.

- Super slim sash
- Marketing-leading sightlines of just 107mm
- NEW sash extension
- NEW Optional clip in bead
- NEW Integrated Cill
- U-values as low as 1.1 triple glazed
- & 1.4 double glazed
- Energy Rated B (DER)
- PAS24: 2022 compliant




Sleek

Strong

Secure

Bringing aluminium bifolding doors designed to a high specification to be thermally efficient, strong, safe and secure while looking great.





New & Improved System


The NEW ALUNA Bifold system features many new and improved features of the known and loved BF73 system.

NEW slimmer profile sections boast sightlines of just 107mm with market-leading sash sizes up to 1200mm wide and 3000mm high per pane. The ALUNA Bifold can also be manufactured with up to 7 leaves each way (14 in total).

Enjoy silky smooth operation due to engineering-grade hardware plus improved thermal performance with U-values as low as 1.1 U/m2K. Also benefitting from and high security, compliant to PAS24:2022 standards, the ALUNA Bifold system is ideal for opening spaces up to the outdoors and creating a visually stunning addition to any property.

The new sash extension is another improved feature to the ALUNA Bifold, offering ease of fabrication and requiring less gaskets, enhancing overall operation and experience.


Plus, try our NEW clip in bead for quicker installations!



Colours

Our ALUNA Bifold products are available in any RAL colour upon request.

The standard colours that we have in stock are Grey 7016 (Matte), Black (Matte), White 9016 (Gloss), Grey 7016 (Matte) on White 9016 (Gloss) and Black 9005 (Matte) on White 9016 (Gloss).



ALULOCK

LOCK, KEEP AND HANDLE

The ultimate security kit for ALUNA Bifolds.

ALULOCK security kit combines a euro profile cylinder as standard, with the option to upgrade to the Ultion 3-star barrel, with the Brisant Sweet Handle and an exclusively designed Duplex Double-Hook Lock, providing a solid 6-point locking system for additional security.

THE SWEET HANDLES

Safe, Stylish & Durable

The Ultion Sweet Handles are a popular upgrade due to their impressive durability as part of the ultimate security kit. These stunning handles are highly secure, able to stop gripping tools designed to snap off handles during break ins.

Carrying multiple coatings of brass and nickel to ensure robust performance, with a 10-year anti-corrosion guarantee for peace of mind.



Available in a range of colours including: black, white, grey, chrome, stainless steel, gold and rose gold.

STAINLESS STEEL HANDLE

316 Marine Grade Stainless Steel

The stainless steel handle upgrade has been designed by experts for enhanced performance and durability creating one of the highest-quality door handles on the market.






The suited handle is made from 316 marine grade stainless steel, compared to the industry-standard of 304, giving it longterm resistance to corrosion.

Thresholds

The ALUNA Bifold, French Door & Single Door can all be designed with the following threshold options:



Standard threshold

A 55mm threshold that acts as a full weather break.



Low threshold

A 20mm threshold for a seamless look



Low threshold with rebate

A 20mm rebate attatched to a low threshold.



Low threshold with ramps

Ideal for homes that need additional accessability.



NEW Integrated Cill

Provides full weather rating and maximises the overall sash height.

Universal aluminium cills

Compatible with most systems, directing water way from brickwork (available as 90mm, 150mm, 190mm & 230mm).

One system that does it all

Whether it's a single door, French door or bifolding door or window, they can all be fabricated from the same ALUNA Bifold system.

It's so versatile that it can cater for projects that call for shaped frames, fixed frames, sidelights, astragal bars, blinds in glass and can even be used as an entrance door with optional panel inserts.

All ALUNA Bifold products can be finished in several glazing options to suit any property including:

- Double & Triple Glazing
- Integral Blinds
- Heritage Look Astragal Bars & Transoms
- Solid Panel Inserts

All sashes with the bifolding system are available in 2 profile designs: Square and Textured Square*. Choose square for a classic look or textured square for a more contemporary alternative.

*textured square only available in 7016 anthracite grey

Also new to the bifold system is our door restrictor, preventing the door from opening over 90 degrees. Easy to install, the arm can also be easily detatched for full opening of the door.

Easy Installation

The ALUNA bifold system has been designed to be quick and easy to install. The system offers an optional adjustable jamb feature for maximum adjustability of +/- 4mm either side during installation and is easily adjustable with an allen key.

Floating Corner Post


The floating corner post option enables right-angled BF73 bifolding doors, including the return, to open out fully, with the option of a fixed corner, for the ultimate wow factor! (Structural support needs to be in place.)

Weather Resistance

Excellent weather sealing is achieved using specially designed perimeter seals, with the option of weather piles for lower thresholds. Weather-tightness tested to British standards.

Low Maintenance

Our low-maintenance aluminium doors are strong, durable and highly corrosion-resistant. Unlike timber, they don't need painting or staining to keep them weather-proof, and they won't rust or corrode. They will also never rot, peel or flake.



TECHNICAL DETAILS AT A GLANCE

- Market-leading maximum sash sizes up to 1200mm x 3000mm
- Maximum vision minimal sight lines of only 107mm or 120mm
- Maximum security- PAS24: 2022 certification
- U Values as low as 1.1 with triple glazing and 1.4 with double glazing (U W/m2k)
- Maximum weather proofing tested to BS6375
 Part 1: 2009
- Single or dual colour. Factory powder coated to marine quality as per approved Qualicoat regulations
- 120kg per door leaf providing for the openings
- Engineering grade running rollers for a smooth and silky opening and closing operation
- Trickle vents can be added



Brought to you by



T: 01924 350 110

info@alunetsystems.co.uk

www.alunetsystems.co.uk



Alunet Systems Low Mill Lane, Havelock Street Ravensthorpe Industrial Estate Ravensthorpe Dewsbury WF13 3LN